



CAMERON GREAT LAKES, INC.

MOLECULAR FILTRATION SPECIALISTS

LIQUI SCRUB POLY CUBE ADSORPTION VESSEL LS30—150PC

The **LIQUI SCRUB** Poly Cube Adsorption Vessel is the ideal solution for difficult applications. These vessels are constructed from high density polyethylene with black pigment for maximum ultraviolet resistance and has outstanding performance even with the most corrosive applications. The Poly Cube Adsorption Vessel is designed with the user in mind...from the closed top for non-leak performance at elevated pressures... to the top handle for easy handling - even with a forklift or sling.

BENEFITS


No metal parts for easy thermal destruction
 Vessel construction meets FDA requirements for direct food contact
 Completely corrosion resistant

Meets DOT-34 and UN Hazardous requirements
 Easy field installation
 Maintains structural integrity at low temperatures

SPECIFICATIONS	
LS	150 PC
INLET/OUTLET(in.)*	2" / 2"
H - Height (in.)	29
A - Width (in.)	19
B - Width (in.)	19
Max Flow (GPM)*	10
Max Pressure (PSIG)	28
Recommended Max Operating Pressure (PSIG)	8
Max Temp (F)	125
Volume (cubic feet)	3.5

MEDIA	
CG 8 x 30, pounds	75
OMZ, Pounds	75

The special blend of high activity coal based carbon and specialty treated zeolite provides the end user with an adsorption unit to capture free oils and grease (OMZ), as well as to adsorb standard dissolved VOC contaminants (activated carbon).



* Safety Kleen Units supplied separately with a series of bushings reducing from 2" inches to a 1/4 inch hose barb connection for operation.