



CAMERON GREAT LAKES, INC.

MOLECULAR FILTRATION SPECIALISTS

ZK6 Chemical Contaminant Removal Chart

COMPOUND	Mol. Weight	COMPOUND	Mol. Weight	COMPOUND	Mol Weight
Acetaldehyde	44.05	ethanol	46.07	methylamine	31.06
acetic acid	60.05	ethyl acrylate	100.11	Methyl disulfide	94.19
acetone	58.08	ethylene	28.05	methyl ethyl ketone	72.10
acetylene	26.02	ethyl mercaptan	62.13	methyl mercaptan	48.11
acrolein	56.06			Nitrogen Dioxide	46.01
acrylonitrile	53.06	formaldehyde	30.03	phenol	94.11
arsine	77.93	formic acid	46.02	phosphine	34.00
butadiene	54.09	hydrazine	32.05	skatole	131.17
butyl mercaptan	90.18	Hydrogen chloride	36.47	silane	32.09
butyric acid	88.10	hydrogen cyanide	27.03	styrene	104.14
		hydrogen sulfide	34.08	Sulfur dioxide	64.07
carbon disulfide	76.14			Sulfur trioxide	80.07
3-chloropene		isoprene	68.11		
cresol	108.13	isopropanol	60.09	trichloroethylene	131.40
				triethylamine	101.19
diethylamine	73.14	methanol	32.04	trimethylamine	59.11
dimethylamine	45.08	methyl acrylate	86.09		
				vinyl chloride	62.5

This list is for guideline purposes only. Effective chemical contaminant removal requires a properly designed filtration system.

Corporate Office

2335 NW 29th Ave. Portland, OR 97210
Phone: (800) 777-4044 Fax: (503) 225-0137

VISIT US ON THE WEB AT WWW.CAMERONGREATLAKES.COM